

## **ECBN5066** - Premium Plus integrated food centre

## **Output and consumption**

Energy efficiency class A++

Energy consumption in 24h 0.785 kWh / 24h

Energy consumption per year 287 kWh/a

Climate class SN-T

Noise level 42 dB

Net capacity, total 379 l

Refrigerator compartment 276 l

of which BioFresh 57 I

Freezer compartment 103 I

Gross capacity, total 462 I

Refrigerator compartment 314 l

of which BioFresh 66 I

Freezer compartment 148 I

Voltage 220-240 V ~

Frequency 50 Hz

Connection rating 1.5 A 194 WDimensions and weight

Aperture height 203 cm

Dimension (packaged), H/W/D 2,120.0 / 820.0 / 740.0 mm

Aperture dimensions height/width/depth 203.2 - 207.2 / 76.2 / 61.0 cm

Weight (without packaging) 143.00 kg

Weight (with packaging) 158.00 kg

**Control and functions** 

Temperature range refrigerator compartment +3 °C to +9 °C

Temperature range freezer compartment -14°C to -28°C

Control Digital temperature display in the MagicEye

Control unit Touch-Electronic

Individual temperature zones 2

Temperature zones 3

Temperature display Refrigerator- & freezer compartment

Malfunction: Warning signal optical and acoustical

FrostControl <

Door open: Warning signal, refrigerator compartment audible

Door open: Warning signal, freezer compartment audible

Child proofing 🗸

SuperCool <

SuperFrost quantity-controlled

Connectable (SmartDevice-capable)

Refrigerator compartment

Defrosting method automatic

Forced air cooling <

Lighting LED light column

Number of storage shelves, refrigerator compartment 4

of which height-adjustable 3

of which are adapted for versatile use as a bottle shelf 1

No. of dividable glass shelves cooling compartment

Storage shelf material, refrigerator compartment glass

Bottle shelf —

Design of inner door rack Premium GlassLine

Bottle rack 0

Number of can racks 2

Egg trays 🗸

0° compartment \* BioFresh

Number of BioFresh safes 2

extendible on telescopic rails

DrySafe 0

of which HydroSafe 2

with lighting LED lighting

## Freezer compartment

NoFrost 🗸

Star-coding 4

Cooling technology NoFrost

Defrosting method automatic

Storage time during interruptions in power supply 30 h

Freezing capacity in 24 hrs12 kg

Drawers in freezer compartment 2

of which on telescopic rails 2

Material adjustable shelves freezer compartment plastics

Lighting LED lighting

IceMaker ✓