

Serie | 8, Warmer Drawer, 60 x 14 cm,
BIC630NS1



The multifunctional warming drawer for the
14 cm niche: for pre-heating plates, keeping
food warm and low temperature cooking.

- **Cleaning convenience:** easy-to-clean hotplate made of tempered glass.

Technical data

Built-in / Free-standing :	Built-in
Maximum number of plates :	12
Maximum number of espresso cups :	64
Dimensions :	140 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	210 x 660 x 660
Required niche size for installation (HxWxD) :	140 x 560 x 550
:	0.810
Electrical connection rating (W) :	810
Current (A) :	10
Voltage (V) :	220-240
Frequency (Hz) :	60; 50
Plug type :	Gardy plug w/ earthing
Approval certificates :	CE, Eurasian, Ukraine
Required cutout/niche size for installation (in) :	x x
Appliance Dimensions (h x w x d) (in) :	x x
Dimensions of the packed product (in) :	8.26 x 25.98 x 25.98
Net weight (lbs) :	36.000
Gross weight (lbs) :	38.000
Length electrical supply cord (cm) :	150
Required niche size for installation (HxWxD) :	140 x 560 x 550
Dimensions :	140 x 594 x 548
Dimensions of the packed product (HxWxD) (mm) :	210 x 660 x 660
Net weight (kg) :	16.240
Gross weight (kg) :	17.4




**Serie | 8, Warmer Drawer, 60 x 14 cm,
BIC630NS1**

**The multifunctional warming drawer for the
14 cm niche: for pre-heating plates, keeping
food warm and low temperature cooking.**


- Heating plate made of toughened glass
- Temperature control in 4 levels: ca. 30°C - 80°C (glass surface temperature)
- Max. loading espresso cups: 64 PC or Max. loading plates: 12 PC

Serie | 8, Warmer Drawer, 60 x 14 cm, BIC630NS1



Compact ovens with an appliance height of 455 mm can be installed above a warming drawer. An intermediate floor is not required.

measurements in mm



measurements in mm